

JOHN
CULLEN



WALLACE

PICTURE LIGHTS REDEFINED

INTRODUCING THE WALLACE

The Wallace has been designed to be the most discreet, low glare picture light on the market. It offers you the highest quality light output to show your art at its best. Its slimline shape perfectly conceals the LED light source ensuring the light is glare free.

EVEN ILLUMINATION

The Wallace uses cutting-edge technology to provide an even distribution of light to precisely focus on your whole canvas. From top to bottom, the Wallace will discreetly yet perfectly illuminate your art.

EXCEPTIONAL COLOUR RENDITION

You can be sure that the true colours of your art will be seen with an exceptionally high CRI (Colour Rendition Index) of 97. This will ensure the colours shine through as if they are lit by daylight.



FINISHES

FLAWLESS FINISHES

The Wallace comes in black, antique brass and antique bronze as standard to suit both your art and interiors. We are able to offer other finishes upon request.



BLACK



ANTIQUE BRASS



ANTIQUE BRONZE

SIZES

ADAPTABLE SIZES

The Wallace Picture Light is available in 6 head sizes: 15, 30, 45, 60, 75 and 90. In addition four different arm lengths allow even greater flexibility to light different canvas sizes.


See details of how to work out which size you require to suit your art on the next page.

FLEXIBLE MOUNTING

The Wallace can be both wall or frame mounted to suit the installation. The luminaire's height can be adjusted and the head tilted to further fit the art.



HOW TO SPECIFY



1. Measure width and height of canvas.
2. Using the table opposite, find the required product code.
3. Select finish using codes listed overleaf.
4. Our dedicated sales team will advise the correct choice of driver for your requirements.

CANVAS HEIGHT (mm)	CANVAS WIDTH (mm)						ARM LENGTH
	Up to 380	380-620	620-860	860-1100	1100-1340	1340-1580	
Up to 380	WA1515XX1	WA3015XX1	WA4515XX1	WA6015XX1	WA7515XX1	WA9015XX1	150
380-620	WA1520XX1	WA3020XX1	WA4520XX1	WA6020XX1	WA7520XX1	WA9020XX1	200
630-860	WA1525XX1	WA3025XX1	WA4525XX1	WA6025XX1	WA7525XX1	WA9025XX1	250
860-1100	WA1530XX1	WA3030XX1	WA4530XX1	WA6030XX1	WA7530XX1	WA9030XX1	300
	15	30	45	60	75	90	
	HEAD WIDTH						

DRIVER REQUIREMENTS

We have a range of options to suit your dimming requirements, control systems and driver locations.

PRODUCT CODE MAKER

CODE BREAKDOWN

WA XX XX XX 1

15 = Wallace15
30 = Wallace 30
45 = Wallace 45
60 = Wallace 60
75 = Wallace 75
90 = Wallace 90

15 = 150mm arm
20 = 200mm arm
25 = 250mm arm
30 = 300mm arm

02 = Black
04 = Antique brass
06 = Antique bronze
XX = RAL colour match

eg WA1520041 = Wallace 15 200mm arm antique brass

THE TECH SPEC

PRODUCT	WATTAGE	VOLTAGE	LED LUMEN	LUMINAIRE LUMEN
Wallace 15	2W	5.6Vf	172lm	155lm
Wallace 30	4W	11.2Vf	344lm	309lm
Wallace 45	6W	16.8Vf	515lm	464lm
Wallace 60	8W	22.4Vf	686lm	618lm
Wallace 75	10W	28Vf	858lm	773lm
Wallace 90	12W	33.6Vf	1030lm	927lm

CRI:	97
R9 VALUE:	90
CCT:	2700K
DRIVE CURRENT:	350mA
FINISHES:	Black Antique brass Antique bronze RAL colour match

Designed in-house at John Cullen Lighting.

Made in Britain.

JOHN
CULLEN

INSPIRE WITH LIGHT

LONDON | PARIS | DUBAI | MUMBAI

JOHNCULLENLIGHTING.COM